

ROX ADAMAS Specifications

● Standard ○ Optional – Not available

ROX ADAMAS Couch 7-Seater
(2-3-2)

ROX ADAMAS First-Class 6-Seater
(2-2-2)

Exterior & Interior		
Exterior Colors		
● Polar White	●	●
● Basalt Gray	●	●
● Emerald Green	●	●
● Desert Gold	○	○
● Obsidian Black - Black Knight Edition	○ (Black exterior paint is available only with the black starlight wheels)	○ (Black exterior paint is available only with the black starlight wheels)
Interior Colors		
● Amber Orange	●	●
● Jade White	●	●
● Pearl Black	●	●
● Amethyst Purple	●	●
Tires & Wheels		
21-inch two-tone starlight wheel with all-season tire	● (275/45 R21)	● (275/45 R21)
21-inch black starlight wheel with all-season tire	● (275/45 R21)	● (275/45 R21)
Tailgate-mounted full-size spare tire	● (275/45 R21)	● (275/45 R21)
Exterior Features		
Roof rail tracks	●	●
Towing package	●	●
Technical Specifications		
Dimensions (L×W×H)	5298 mm × 1985 mm × 1856 mm	5298 mm × 1985 mm × 1856 mm
Vehicle wheelbase	3010 mm	3010 mm
Seating configuration	2-3-2 seven-seat	2-2-2 six-seat
0-100 km/h Acceleration	5.5s	5.5s
Top speed	190 km/h (electronic speed limit)	190 km/h (electronic speed limit)
Energy mode	ELECTRIC, e-SAVE, HYBRID	ELECTRIC, e-SAVE, HYBRID
Drive mode	Comfort, Standard, Sport, Sport+	Comfort, Standard, Sport, Sport+
High-efficiency range extender	1.5T four-cylinder	1.5T four-cylinder
Fuel recommendation	RON 95	RON 95
Emission standard	Euro V	Euro V
Fuel tank capacity	70 L	70 L

ROX ADAMAS Specifications

● Standard ○ Optional — Not available

	ROX ADAMAS Couch 7-Seater (2-3-2)	ROX ADAMAS First-Class 6-Seater (2-2-2)
Drivetrain	Dual-motor full-time 4WD	Dual-motor full-time 4WD
Maximum power	350 kW	350 kW
Maximum torque	740 N·m	740 N·m
Front 3-in-1 high-efficiency e-drive system	Power: 150 kW Torque: 340 N·m	Power: 150 kW Torque: 340 N·m
Rear 3-in-1 high-efficiency e-drive system	Power: 200 kW Torque: 400 N·m	Power: 200 kW Torque: 400 N·m
Battery capacity	56.01 kWh	56.01 kWh
Battery type	CATL ternary lithium battery (using flame retardant materials and thermal runaway protection technology)	CATL ternary lithium battery (using flame retardant materials and thermal runaway protection technology)
Combined range(WLTC*)	1226 km	1226 km
EV range (WLTC*)	235 km	235 km
AC charging time (0-100%)	8.8h (7 kW)	8.8h (7 kW)
External Power Output	5.7 kW (3.5 kW V2L + 2.2 kW 220 V)	5.7 kW (3.5 kW V2L + 2.2 kW 220 V)
Curb weight	2745 kg	2745 kg
Chassis system		
Front suspension type	All-aluminum double-wishbone suspension	All-aluminum double-wishbone suspension
Rear suspension type	All-aluminum H-arm multi-link suspension	All-aluminum H-arm multi-link suspension
Material of front and rear subframes	All aluminum alloy	All aluminum alloy
Closed-chamber air suspension	● (7-level height adjustment)	● (7-level height adjustment)
Maximum travel of air suspension	140 mm	140 mm
High Speed Mode*	Lowered by 15/25 mm	Lowered by 15/25 mm
Access Assist/Basement Parking Garage Mode*	Lowered by 50 mm	Lowered by 50 mm
Easy Trunk Loading mode*	Rear axle lowered by 60 mm	Rear axle lowered by 60 mm
Dynamic damping control (DCC)	●	●
DCC mode	Comfort, Standard, Sport, All-terrain, Smart	Comfort, Standard, Sport, All-terrain, Smart
Front and rear ventilated disc brakes	●	●
Regenerative coasting	3-position adjustment	3-position adjustment
Electric power steering (EPS)	●	●
Electric power-assisted brake	●	●
Off-road performance		
Recovery Mode		
Ride height*	Raised by 80 mm	Raised by 80 mm
Battery pack ground clearance	324 mm	324 mm

ROX ADAMAS Specifications

● Standard ○ Optional — Not available

ROX ADAMAS Couch 7-Seater
(2-3-2)

ROX ADAMAS First-Class 6-Seater
(2-2-2)

Minimum ground clearance	272 mm	272 mm
Approach angle	27.5°	27.5°
Departure angle	27.9°	27.9°
Ramp angle	24.6°	24.6°
Maximum climbing grade	100% (45° slope)	100% (45° slope)
Maximum wading depth*	770 mm	770 mm
Interior configuration		
Comfortable and luxurious configuration		
Heated steering wheel	●	●
Four-way adjustable steering wheel	●	●
Electrically controlled rear door child safety lock	●	●
Microfiber suede headliner	●	●
Sun visor (with vanity mirror and lamp)	×2	×2
Automatic 3-zone air conditioner	●	●
Middle East-exclusive high-power A/C compressor	●	●
Front row full electric air vent	●	●
Second/third-row independent air vent	●	●
Interior temperature and humidity sensor	●	●
PM2.5 cabin air filter	●	●
Ionic air purifier	●	●
8.5 L dual-mode cooler/warmer	● (Minimum 0°C and maximum 50°C)	● (Minimum 0°C and maximum 50°C)
256-color ambient light	●	●
Touch-control LED reading lights	●	●
Modular outdoor LED headlamp (magnetic trunk docking and charging)	●	●
All four power windows with one-touch up/down and anti-pinch protection	●	●
Keyless entry (including tailgate)	●	●
Bluetooth key (mobile enabled)	●	●
Physical smart key	×2	×2
Keyless start	●	●
Fully flat cabin floor	●	●
Premium tufted carpet floor mats	●	●

ROX ADAMAS Specifications

● Standard ○ Optional — Not available

ROX ADAMAS Couch 7-Seater
(2-3-2)

ROX ADAMAS First-Class 6-Seater
(2-2-2)

	ROX ADAMAS Couch 7-Seater (2-3-2)	ROX ADAMAS First-Class 6-Seater (2-2-2)
Seat configuration		
First-row seats		
Nappa leather seats*	●	●
Driver's seat adjustment	12-way power adjustment	12-way power adjustment
Front passenger seat adjustment	10-way power adjustment	10-way power adjustment
Seat heating	●	●
Seat ventilation	●	●
Seat massage	● (Lumbar acupressure massage)	● (Lumbar acupressure massage)
Aero comfort headrest	x2	x2
Driver's seat welcome function	●	●
Front passenger seat rear control button	●	●
Daybed Mode	—	●
Second-row seats		
Nappa leather seats*	●	●
Second-row seat adjustment	Manual 4-way (40/60 split-folding)	8-way power adjustment
Aero seat headrest wing adjustable	—	●
Aero seat one-button comfort mode	—	●
Seat heating	●	● (Including leg rest heating)
Seat ventilation	●	●
Seat massage	—	● (8-point full back acupressure massage)
Aero comfort headrest	x2	x2
Full-bed Mode (2nd & 3rd rows folded flat)	●	—
Third-row seats		
Number of seats	2	2
Seat back adjustment	Manual 2-way (7-position adjustment)	Manual 2-way (7-position adjustment)
Power easy-entry (3rd row)	—	●
Interior storage configuration		
Trunk capacity	346 L 1191 L (with folded third-row seats) 2175 L (with folded second- and third-row seats)	346 L 1191 L (with folded third-row seats)
Front passenger glove box	●	●
Central armrest box	●	●
Front center open storage compartment	●	●

ROX ADAMAS Specifications

● Standard ○ Optional – Not available

ROX ADAMAS Couch 7-Seater
(2-3-2)

ROX ADAMAS First-Class 6-Seater
(2-2-2)

Tailgate-integrated storage bin	●	●
Cockpit configuration		
Infotainment system chip	Qualcomm Snapdragon 8155	Qualcomm Snapdragon 8155
15.7-inch 3K center touch screen	●	●
12.3-inch multi-function instrument display	●	●
15.7-inch 3K rear infotainment touch screen (5-position power tilt)	●	●
Screen multi-touch (Center screen & rear infotainment display)	●	●
9.2-inch slim-bezel streaming rearview mirror	●	●
Anti-fingerprint fluorocarbon coating (touchscreen)	●	●
Anti-glare screen	●	●
Automatic screen brightness adjustment	●	●
Automotive-grade shatter-resistant glass	●	●
Premium audio system	14 speakers (7.1 channel surround sound)	14 speakers (7.1 channel surround sound)
Cabin acoustic tuning	ARKAMYS	ARKAMYS
Multilingual infotainment system*	●	●
Cockpit full-scene voice persona*	●	●
Multi-zone intelligent voice control	4-zone	4-zone
"Say What You See" on IHU screen	●	●
Nap mode	First-row	First-row, second-row
Camping mode	●	●
Pet mode	●	●
Stealth mode	●	●
Power retention mode	●	●
In-car karaoke	●	●
Central display mirroring	● (Wireless mirroring, wired mirroring)	● (Wireless mirroring, wired mirroring)
Rear infotainment display mirroring	● (Wireless mirroring, wired mirroring)	● (Wireless mirroring, wired mirroring)
Apple CarPlay	●	●
Smartphone mirroring (CarbitLink)*	●	●
Infotainment app ecosystem	●	●
Bluetooth 5.2	●	●
T-BOX	●	●

ROX ADAMAS Specifications

● Standard ○ Optional — Not available

ROX ADAMAS Couch 7-Seater
(2-3-2)

ROX ADAMAS First-Class 6-Seater
(2-2-2)

On-board data network*	●	●
On-board two-way Wi-Fi*	●	●
Mobile app remote vehicle control*	●	●
First-row mobile phone wireless fast charging (50 W air cooling)	×2	×2
First-row charging port (18 W Type-C)	×2	×2
First-row 12 V power supply (180 W)	×1	×1
Center armrest TF card slot	×1	×1
Central armrest box data interface (Type-A)	×1	×1
Second-row charging port (60 W Type-C)	×2	×2
Second-row aero seat charging port (18 W Type-A)	—	×2
Third-row charging port (18 W Type-C)	×2	×2
Trunk 220 V power supply (2.2 kW)	×1	×1
HD panoramic DVR (5 simultaneous views)*	●	●
Digital Audio Broadcasting (DAB)	●	●
Exterior configuration		
Exterior lighting		
LED headlamp	●	●
LED tail lamp	●	●
LED daytime running lamp	●	●
Automatic headlamp	●	●
Intelligent High Beam Control (IHBC)	●	●
LED dynamic turn signal light	●	●
LED high-mounted brake lamp	●	●
LED rear fog lamp	●	●
LED reversing lamp	●	●
Charge port indicator light with pulsing animation	●	●
Exterior door-handle courtesy lights	●	●
Door and window configuration		
All 5 soft-close doors (including tailgate)	●	●
Walk-away auto locking	●	●
Rain-sensing windshield wipers	●	●
Rear windshield electric wiper	●	●

ROX ADAMAS Specifications

● Standard ○ Optional — Not available

ROX ADAMAS Couch 7-Seater
(2-3-2)

ROX ADAMAS First-Class 6-Seater
(2-2-2)

Electric heating of exterior rearview mirror	●	●
Electric adjustment of exterior rearview mirror (with position memory)	●	●
Automatic dimming of exterior rearview mirror (driver's side)	●	●
Silver-coated heat-insulating laminated windshield	● (Ultraviolet isolation rate 99%, infrared isolation rate 80%)	● (Ultraviolet isolation rate 99%, infrared isolation rate 80%)
First-row acoustic laminated glass	●	●
Second-row acoustic laminated glass	●	●
Rear privacy glass package*	○	○
Heated rear window	●	●
First-row glass sunroof with electric sunshade	●	●
Second-/third-row panoramic sunroof with electric sunshade	●	●
UV-protective glass	●	●
Advanced Driver Assistance System (ADAS)		
ADAS Chip	Horizon Journey® 6M Chip	Horizon Journey® 6M Chip
Millimeter-wave Radar	×3	×3
Front-view camera (8 million pixels)	×2	×2
Surround-view Camera (2 million pixels)	×4	×4
Side-view Camera (2 million pixels)	×4	×4
Rear-view Camera (2 million pixels)	×1	×1
Front and rear parking sensors	×12	×12
Automated Highway Driving Assist (AHDA)*		
Cruise Control (Maximum Speed 170 km/h)	●	●
Adaptive Cruise Control (ACC)	●	●
Lane Centering Control (LCC)	●	●
Command Lane Change (CLC)	●	●
Lane Change Assist (LCA)	●	●
Front Cross Traffic Alert (FCTA)	●	●
Forward Collision Warning (FCW)	●	●
Rear Cross Traffic Alert (RCTA)	●	●
Rear Collision Warning (RCW)	●	●
Forward Automatic Emergency Braking (FAEB)	●	●
Reverse Automatic Emergency Braking (RAEB)	●	●

ROX ADAMAS Specifications

● Standard ○ Optional — Not available

	ROX ADAMAS Couch 7-Seater (2-3-2)	ROX ADAMAS First-Class 6-Seater (2-2-2)
Blind Spot Detection (BSD)	●	●
Door Open Warning (DOW)	●	●
Lane Keeping Assist (LKA)	●	●
Lane Departure Warning (LDW)	●	●
Emergency Lane Keeping (ELK)	●	●
Automatic Parking Assist (APA)	●	●
Remote Parking Assist (RPA)	●	●
Intelligent Straight-line Remote Summon	●	●
Off-road Assist Driving*		
All-Terrain Mode	Automatic, Road, Mountain, Mud, Sand, Snow, Wading	Automatic, Road, Mountain, Mud, Sand, Snow, Wading
Off-road Automatic Cruise Control	● (2 - 15 km/h)	● (2 - 15 km/h)
Hill Descent Control (HDC)	● (2 - 35 km/h)	● (2 - 35 km/h)
Transparent underbody view	●	●
Wading Depth Detection	●	●
Safety configuration		
C-NCAP (☆☆☆☆☆)	●	●
CIRI(G)	●	●
Body Frame	High-strength Steel and Aluminum Alloy Structure	High-strength Steel and Aluminum Alloy Structure
Composite Door-sill Beam Structure (Extruded Aluminum Profile Reinforced)	●	●
First-row Frontal Airbag	×2	×2
First-row Side Airbag	×2	×2
Second-row Side Airbag	×2	×2
Side Curtain Airbag	×2	×2
HD Surround-view Imaging	●	●
Front/Rear Parking Radar Assist	●	●
First-row Seat Belt Unfastened Alarm	●	●
Second-row Seat Belt Unfastened Alarm	—	●
First-row Seat Belt with Pretensioner and Load Limiter	×2	×2
Second-row Integrated Seat Belt with Pretensioner and Load Limiter	—	×2
Second-row ISOFIX Safety Seat Interface	●	●
Third-row ISOFIX Safety Seat Interface	●	●

ROX ADAMAS Specifications

● Standard ○ Optional — Not available

ROX ADAMAS Couch 7-Seater
(2-3-2)

ROX ADAMAS First-Class 6-Seater
(2-2-2)

	ROX ADAMAS Couch 7-Seater (2-3-2)	ROX ADAMAS First-Class 6-Seater (2-2-2)
City Sentry Mode*	●	●
Camping Sentry Mode*	●	●
Emergency Call System (E-Call)	●	●
Electronic Stability Program (ESP)	●	●
Anti-lock Braking System (ABS)	●	●
Hill Hold Control (HHC)	●	●
Traction Control System (TCS)	●	●
Vehicle Dynamic Control (VDC)	●	●
Electronic Braking Force Distribution (EBD)	●	●
Hazard Warning (HAZ)	●	●
Dynamic Steering Torque (DST)	●	●
Roll Movement Intervention (RMI)	●	●
Tire Pressure Monitoring System (TPMS)	●	●
Electric Parking Brake (EPB)	●	●
Outside Pedestrian Warning Sound	●	●
Roadside Assistance Towing Mode	●	●
Auto Hold	●	●
First Aid Kit	●	●
Fire Extinguisher	●	●

Tips:

- The total range and battery range (full SOC) data under WLTC are obtained by ROX and its partners in accordance with the relevant corporate test standards and verified by a nationally certified third-party laboratory. The actual range of the vehicle may vary due to objective factors such as ambient temperature, road conditions, driving habits, operating behavior, and battery service life during real-world driving. ROX reserves the right to adjust the content of the parameter configuration table within the legal range, and the specific parameter configuration will be subject to the final delivered vehicle.
- Air spring 7-position height settings: Lift, High, Relatively high, Standard, Low, Underground-garage height limit/Welcome, and Easy Trunk Loading.
- The adjustment data of High-Speed Mode, Access Assist, Basement Parking Garage Mode, and Easy-Trunk Loading Mode all refer to the vehicle-height changes relative to the standard height.
- The 80 mm increase in Recovery mode refers to the rise of the vehicle chassis from the standard height to its maximum height.
- The maximum wading depth is 770 mm in Recovery mode. Please avoid dynamic driving or prolonged immersion at this depth. The vehicle cockpit is defined as a dry area. Please avoid water entering the cockpit during wading.
- The Nappa genuine leather coverage area includes the perforated areas of the seat cushion and seat back.
- IHU supporting languages: Arabic, English, French, Kazakh, Portuguese, Russian, and Spanish.
- Cockpit voice interaction supports: Arabic, English, and Russian.
- Smartphone Mirroring (CarbitLink) supports Android and iOS devices via USB or wireless connection.
- The on-board data network, on-board two-way Wi-Fi, and mobile APP remote vehicle control functions are currently supported in Egypt, Jordan, Kuwait, Oman, Qatar, Saudi Arabia, and the UAE, and will be available in other countries and regions later. The availability, pricing, and related terms of data connectivity may vary by market; please consult your local authorized dealer for details.
- The privacy-glass set includes the privacy glass of the second-row window, the privacy glass of the third-row window, and the privacy glass of the rear windshield. This configuration is optional depending on the laws of different countries or regions, and is currently optional in Egypt.
- The HD panoramic DVR (simultaneous 5 views) requires installation of a TF card.
- The LCC, FAEB, FCW, RAEB, IHBC, APA, RPA, ISRS, wading depth detection, high-definition panoramic DVR (simultaneous 5 views), city sentry mode, camping sentry mode, and transparent chassis functions will be implemented via OTA or through an after-sales upgrade in the first quarter of 2026.
- The driver assistance system is only an auxiliary function and cannot handle all traffic, weather, or road conditions. The driver must always monitor and maintain active control of the vehicle. Please use it with caution in complex weather or road conditions.
- "o" indicates an optional feature.